SEQUENCE LISTING

<110> Merlo, Adrian
       Macke, Helmut
       Reubi, Jean-Claude
       Good, Stephan

<120> Radiopharmaceuticals for Cancer Diagnosis and Treatment

<130> 2005_1392A

<140> 10/549,665
<141> 2005-09-19

<150> PCT/EP2004/050329
<151> 2004-03-18

<160> 19

<170> PatentIn version 3.3

<210> 1
<211> 11
<212> PRT
<213> Homo sapiens

<400> 1

Arg Pro Lys Pro Gln Gln Phe Phe Gly Leu Met
1   5   10

<210> 2
<211> 11
<212> PRT
<213> Artificial

<220>
<223> Synthetic Construct

<220>
<221> Residue
<222> (11)..(11)
<223> Xaa = methionine-sulfone or methionine-sulfoxide

<400> 2

Arg Pro Lys Pro Gln Gln Phe Phe Gly Leu Xaa
1   5   10

<210> 3
<211> 11
<212> PRT
<213> Artificial

<220>
<223> Synthetic Construct

<400> 3

Arg Pro Lys Pro Gln Gln Phe Phe Gly Leu Ile

<210> 4
<211> 11
<212> PRT
<213> Artificial

<220>
<223> Synthetic Construct

<400> 4

Arg Pro Lys Pro Gln Gln Phe Phe Gly Ile Met
1   5   10

<210> 5
<211> 11
<212> PRT
<213> Artificial

<220>
<223> Synthetic Construct

<220>
<221> Residue
<222> (9)..(9)
<223> Xaa = N-methylglycine (sarcosine)

<400> 5

Arg Pro Lys Pro Gln Gln Phe Phe Xaa Leu Met
1   5   10

<210> 6
<211> 11
<212> PRT
<213> Artificial

<220>
<223> Synthetic Construct

<220>
<221> Residue
<222> (7)..(7)
<223> Xaa = 3-(2-thienyl)-alanine

<400> 6

Arg Pro Lys Pro Gln Gln Xaa Phe Gly Leu Met
1   5   10

<210> 7
<211> 11
<212> PRT
<213> Artificial

<220>

<223> Synthetic Construct

<220>
<221> Residue
<222> (8)..(8)
<223> Xaa = 3-(2-thienyl)-alanine

<400> 7

Arg Pro Lys Pro Gln Gln Phe Xaa Gly Leu Met
1   5   10

<210> 8
<211> 11
<212> PRT
<213> Artificial

<220>
<223> Synthetic Construct

<220>
<221> Residue
<222> (7)..(7)
<223> Xaa = 3-(2-thienyl)-alanine

<220>
<221> Residue
<222> (8)..(8)
<223> Xaa = 3-(2-thienyl)-alanine

<400> 8

Arg Pro Lys Pro Gln Gln Xaa Xaa Gly Leu Met
1   5   10

<210> 9
<211> 11
<212> PRT
<213> Artificial

<220>
<223> Synthetic Construct

<400> 9

Arg Pro Arg Pro Gln Gln Phe Phe Gly Leu Met
1   5   10

<210> 10
<211> 11
<212> PRT
<213> Artificial

<220>
<223> Synthetic Construct

<220>

```
<221>  Residue
<222>  (3)..(3)
<223>  Xaa = Ornithine

<400>  10

Arg Pro Xaa Pro Gln Gln Phe Phe Gly Leu Met
1               5                   10


<210>  11
<211>  11
<212>  PRT
<213>  Artificial

<220>
<223>  Synthetic Construct


<220>
<221>  Residue
<222>  (9)..(9)
<223>  Xaa = N-methylglycine

<220>
<221>  Residue
<222>  (11)..(11)
<223>  Xaa = methionine-sulfone

<400>  11

Arg Pro Lys Pro Gln Gln Phe Phe Xaa Leu Xaa
1               5                   10


<210>  12
<211>  11
<212>  PRT
<213>  Artificial

<220>
<223>  Synthetic Construct


<220>
<221>  Residue
<222>  (8)..(8)
<223>  Xaa = 3-(2-thienyl)-alanine

<220>
<221>  Residue
<222>  (11)..(11)
<223>  Xaa = methionine-sulfone

<400>  12

Arg Pro Lys Pro Gln Gln Phe Xaa Gly Leu Xaa
1               5                   10


<210>  13
<211>  11
<212>  PRT
```

<213> Artificial

<220>
<223> Synthetic Construct

<220>
<221> Residue
<222> (7)..(7)
<223> Xaa = 3-(2-thienyl)-alanine

<220>
<221> Residue
<222> (9)..(9)
<223> Xaa = N-methylglycine

<220>
<221> Residue
<222> (11)..(11)
<223> Xaa = methionine-sulfone

<400> 13

Arg Pro Lys Pro Gln Gln Xaa Phe Xaa Leu Xaa
1   5   10

<210> 14
<211> 11
<212> PRT
<213> Artificial

<220>
<223> Synthetic Construct

<220>
<221> Residue
<222> (8)..(8)
<223> Xaa = 3-(2-thienyl)-alanine

<220>
<221> Residue
<222> (9)..(9)
<223> Xaa = N-methylglycine

<220>
<221> Residue
<222> (11)..(11)
<223> Xaa = methionine-sulfone

<400> 14

Arg Pro Lys Pro Gln Gln Phe Xaa Xaa Leu Xaa
1   5   10

<210> 15
<211> 11
<212> PRT
<213> Artificial

<220>

<223> Synthetic Construct

<220>
<221> Residue
<222> (7)..(7)
<223> Xaa = 3-(2-thienyl)-alanine

<220>
<221> Residue
<222> (9)..(9)
<223> Xaa = N-methylglycine

<400> 15

Arg Pro Lys Pro Gln Gln Xaa Phe Xaa Leu Met
1   5   10

<210> 16
<211> 11
<212> PRT
<213> Artificial

<220>
<223> Synthetic Construct

<220>
<221> Residue
<222> (7)..(7)
<223> Xaa = 3-(2-thienyl)-alanine

<220>
<221> Residue
<222> (11)..(11)
<223> Xaa = methionine-sulfone

<400> 16

Arg Pro Lys Pro Gln Gln Xaa Phe Gly Leu Xaa
1   5   10

<210> 17
<211> 11
<212> PRT
<213> Artificial

<220>
<223> Synthetic Construct

<220>
<221> Residue
<222> (7)..(7)
<223> Xaa = 3-(2-thienyl)-alanine

<220>
<221> Residue
<222> (8)..(8)
<223> Xaa = 3-(2-thienyl)-alanine

```
<220>
<221>  Residue
<222>  (9)..(9)
<223>  Xaa = N-methylglycine

<400>  17

Arg Pro Lys Pro Gln Gln Xaa Xaa Xaa Leu Met
1               5                   10


<210>  18
<211>  11
<212>  PRT
<213>  Artificial

<220>
<223>  Synthetic Construct


<220>
<221>  Residue
<222>  (7)..(7)
<223>  Xaa = 3-(2-thienyl)-alanine

<220>
<221>  Residue
<222>  (8)..(8)
<223>  Xaa = 3-(2-thienyl)-alanine

<220>
<221>  Residue
<222>  (9)..(9)
<223>  Xaa = N-methylglycine

<220>
<221>  Residue
<222>  (11)..(11)
<223>  Xaa = methionine-sulfone

<400>  18

Arg Pro Lys Pro Gln Gln Xaa Xaa Xaa Leu Xaa
1               5                   10


<210>  19
<211>  11
<212>  PRT
<213>  Artificial

<220>
<223>  Synthetic Construct


<220>
<221>  Residue
<222>  (7)..(7)
<223>  Xaa = 3-(2-thienyl)-alanine

<220>
<221>  Residue
<222>  (8)..(8)
```

<223>   Xaa = 3-(2-thienyl)-alanine

<220>
<221>   Residue
<222>   (11)..(11)
<223>   Xaa = methionine-sulfone

<400>   19

Arg Pro Lys Pro Gln Gln Xaa Xaa Gly Leu Xaa
1   5   10